

OCT. 19, 2019

UrbanBourbonHalf.com

Louisville Sports Commission Urban Bourbon Half Marathon Presented by Jim Beam®

Training Program

Sponsored by:







Table of Contents

Welcome Letters	4
Is It Safe?	6
Training Tips	7
Preventing Injuries ~Ice or Heat? ~How to Ice an Injury	8
Fueling up for the Races	11
The Power of Recovery	13
Health and Performance Check List	15
Stretching	18
Heart Rate Training Zones	21
Half Marathon Training	23
Training Calendars	29
Training Logs	32



On Oct. 19, 2019, the Urban Bourbon Half Marathon presented by Jim Beam® will offer Louisvillearea walkers and runners an exciting experiential event on which to focus their training efforts. This year's race celebrates and promotes 200 years of Louisville and Kentucky distilling history; combined with a half marathon route that starts and finishes in downtown Louisville on Main Street. The course again follows the Scenic Loop in Cherokee Park and passes some of Louisville's memorable landmarks. The Urban Bourbon Half Marathon presented by Jim Beam® is restricted to those age 21 and older; participants must be age 21 by Oct.19, 2019.

Your decision to participate in our eighth annual half marathon should be a source of pride and anticipation, regardless of your level of skill or previous accomplishment in races of any distance. It has been said there is strength in numbers, and as you train toward Oct. 19, you will find plenty of support with fellow runners, walkers and the experts of our official training program. Designed by KentuckyOne Health Sports Medicine, it is a tried-and-true program that gives you the best tools and tips necessary to perform at an optimum level. This 12-week training program allows you to put forth your best effort in the event and, by participating in the training program, we are confident that you will not just survive, but thrive as you cross the finish line.

The Louisville Sports Commission is a Kentucky-based 501(c)(3) organization whose mission is to attract, create, and host quality sporting events in the Louisville area that increase economic vitality, enhance the quality of life, promote active lifestyles and brand Louisville as a great place to live, work and play. This event was developed to promote active lifestyles in our community, specifically to entice runners such as you to train later into the fall season.

We have partnered with numerous local companies to enhance your race-day experience. We also have a dedicated race manager who brings years of knowledge and expertise as a race director to make sure your training and competition goes smoothly. During the race, hydrate with Louisville pure tap® from the Louisville Water Company and Powerade from our local Coca-Cola bottlers. After you cross the finish line, be sure to join us at 4th Street Live! for our post-race Urban Bourbon Bash that will include tastings from the Jim Beam portfolio of bourbons along with a selection of other Kentucky bourbons, pizza, beer, Kentucky burgoo and a three-hour concert by the Louisville Crashers, the region's premiere pop rock party band. Check our website <u>urbanbourbonhalf.com</u> for more information.

We raise our glass to toast you for making the decision to train for and finish the Urban Bourbon Half Marathon and will be waiting for you at the finish line.

Cheers!

President & CEO presented by Jim Beam®

Louisville Sports Commission



Dear 2019 Urban Bourbon Half Marathon participant:

The 2019 Urban Bourbon Half Marathon presented by Jim Beam® is just around the corner! We're so pleased that you have chosen to participate in our "Frazier Rehab Sports Medicine Urban Bourbon Half Marathon Training Program."

Our Sports Medicine programs offer a comprehensive range of services including education, prevention, treatment, rehabilitation and wellness from specially trained and certified staff, ensuring the highest quality of care possible. Licensed athletic trainers, physical therapists, physicians and other health care professionals in the area of sports medicine work together to provide elite athletes and "weekend warriors" alike, a holistic approach to care, no matter the level of competition.

Our goal is to keep athletes of all stages in life in peak physical and mental condition through a proactive approach to health and fitness.

Thank you for participating in this training program. It is our privilege to be your partner as you begin preparing for this year's event.

Sincerely,

Vice President of Operations

Frazier Rehab Institute



Is it Safe for You to Start a Running Program?

For most people, running is great way to either get in shape or stay in shape. It helps control weight and provides immense cardiovascular benefits. The majority of people can feel comfortable about initiating an exercise program without risk, but there are certain people who should consult with a physician prior to initiating a program.

Please review the questions below to see if it is advisable for you to consult with a physician. These are adapted from the Physical Activity Readiness Questionnaire (PAR-Q).

- Has a doctor ever diagnosed you with a heart condition, high blood pressure or restricted your activity in any way?
- Do you take any medications for a heart condition or high blood pressure?
- Do you experience chest pain with or without activity?
- Do you experience dizziness that causes you to lose balance?
- Have you ever passed out or lost consciousness?
- Have you been diagnosed with diabetes of any kind or a chronic kidney disease?
- Do you have any bone or joint problems that are worsened by activity?
- Are you 70 years of age or older and starting a new exercise program?

 Do you know of any reason you should not participate in physical activity or have ANY concerns about your health?

If you answered YES to any of the above questions, it is recommended that you consult with your primary care physician prior to initiating an exercise program. If you don't have a primary care physician, consider making an appointment with us at the Owsley Brown Frazier Sports Medicine Center by calling 502-637-9313. We can evaluate whether it is safe for you to begin a training program, manage sport-related medical problems or assess any injuries you may suffer along your journey.

Thank you and happy running!

Jon Holland Frazier Rehab Sports Medicine



Training Tips

- 1. Get a thorough medical exam prior to beginning any running program.
- Seek medical attention with injuries. Don't let little aches and pains turn into bigger problems by not seeking timely medical advice.
- 3. Go slow! The biggest mistake runners make is going too fast. The best way to judge your pace is by using the "talk test." Run at a comfortable pace that allows you to talk with a training partner.
- 4. Observe the "rules of the road." Watch out for cars; don't expect drivers to look out for you. It is best to run facing traffic so that you can see approaching cars in case action on your part is necessary.
- 5. Dress properly. Use common sense. If it's dark, wear white or reflective clothing. If it's cold, wear layers of clothing, gloves and a wool ski cap to retain heat. On hot sunny days, use sun block, sunglasses, a sun protective hat and light-colored clothing.
- 6. Wear running shoes, but don't continue to wear worn-out shoes. Purchase your shoes at a specialty store where staff is knowledgeable. As simple as it sounds, running shoes should only be used for running. It is usually time to replace shoes after 400-500 miles (so maintain your mileage log).

- Don't use headphones when running outside. They tend to tune out your surroundings, which makes you more susceptible to hazards (i.e., cars, bikers, dogs and criminals).
- 8. If you're running alone, let someone know where you will be running and when you expect to return. Remember to carry some identification and money for a phone call.
- Include a running partner in your program, if possible. A partner with similar abilities and goals can provide motivation and camaraderie.
- 10. Prior to your runs, do some light stretching exercises. This reduces muscle tightness and increases your range of motion. It is also a good idea to do these stretching exercises after your workout.



Preventing Injuries

Preventing injuries during exercise can be accomplished by slowly increasing your workout time. Exercising properly may be the difference in finishing the race and having to visit a physician. It is most important for anyone beginning a work-out program to receive medical clearance from his or her physician.

After receiving medical clearance, the next step is to make sure the appropriate equipment is obtained. In running, that means the right shoe. A runner should have their feet and running patterns evaluated by a local running store. Depending on the individual's foot mechanics, the appropriate running shoe will provide proper support to the feet, helping to prevent injuries. Once these initial steps have been completed, let the running begin!

At the beginning of any exercise program, an individual should gradually increase the time and intensity of his or her workout, while endurance and aerobic capacity increase. Start with a warm-up of approximately five minutes, walking and slowly increasing the pace until the muscles are loose. Ideally, after the warm-up, a few minutes of stretching should take place to increase muscle flexibility and decrease the risk of injuries.

Once the run is completed, be sure to take advantage of cooling down your body. This will slowly decrease the heart rate and blood flow to your working muscles. After your cool down, it is appropriate to finish with stretching, allowing the lactic acid to decrease in the

muscles and help reduce the risk of injury. The greater the flexibility of a muscle, the less likely an injury will occur.

Injury prevention procedures:

- Obtain medical clearance before beginning an exercise program
- Have the correct equipment for the exercise
- Maintain proper warm-up and stretching routines
- Enjoy appropriate workouts
- Maintain proper cool down and stretching routines

Last but not least, pay attention to what your body may be telling you. General muscle soreness after a workout is normal. Anything other than general soreness, the body is indicating other problems. Swelling and tenderness over a specific area may indicate you have an injury in need of medical attention. It is important to pay attention to any early warning signs, so it doesn't develop into a more serious injury.



Ice or Heat?

Should you ice or heat an injury?

Ice bags and heating pads are among the most commonly used treatments in running related injuries. So which is the right one to use for your injury, ice or heat? And how long should the ice or heat treatments last? Read on for information about treatment of injuries with ice packs and heating pads.

Ice treatments

Ice treatment is most commonly used for acute injuries. If you have a recent injury (within the last 48 hours) where swelling is a problem, you should be using ice treatment. Ice bags can help minimize swelling around the injury.

Ice bags should be used after injuries, such as when you suffer an ankle sprain. Applying an ice bag early and often for the first 48 hours will help minimize swelling. Decreasing swelling around an injury will help to control the pain.

Ice treatments may also be used for chronic conditions, such as overuse injuries in runners (shin splints. etc.) In this case, ice the injured area after activity to help control inflammation. Never ice a chronic injury before activity.

Heat treatments

Heat treatments should be used for chronic conditions to help relax and loosen tissues, and to stimulate blood flow to the area. Use heat treatments for chronic conditions, such as overuse injuries, before participating in activities.

Do not use heat treatments after activity, and do not use heat after an acute injury. Heating tissues can be accomplished using a heating pad, or even a hot, wet towel. When using heat treatments, be very careful to use a moderate heat for a limited time to avoid burns. Never leave heating pads or towels on for extended periods of time, or while sleeping.



How to Ice a Injury — Time Required: 15 minutes

1. Get the ice on quickly

Icing is most effective in the immediate period following an injury. The effect of icing diminishes significantly after about 48 hours.

2. Perform an "ice massage"

Apply ice directly to the injury. Move the ice frequently, not allowing it to sit in one spot.

3. Don't forget to elevate

Keep the injured body part elevated above the heart while icing — this will further help reduce swelling.

4. Watch the clock

Ice for 15-20 minutes, but never longer. You can cause further damage to the tissues, including frostbite, by icing for too long.

5. Allow time between treatments

Allow the area to warm for at least 45 minutes to an hour before beginning the icing routine again.

6. Repeat as desired

Ice as frequently as you wish, so long as the area is warm to touch and has normal sensation before repeating.

TIPS

1. <u>Ice Option 1 — Traditional</u>

Use a Ziploc bag with ice cubes or crushed ice. Add a little water to the ice bag so it will conform to your body.

2. <u>Ice Option 2 — Best</u>

Keep paper cups filled with water in your freezer. Peel the top of the cup away and massage the ice-cup over the injury in a circular pattern allowing the ice to melt away.

3. <u>Ice Option 3 — Creative</u>

Use a bag of frozen peas or corn from the frozen goods section. This option provides a reusable treatment method that is also edible.

Note — Do not let the ice just sit on the skin as this can cause frostbite.



Fueling Up for the Races

Eat regular, well-balanced meals.

If you don't eat breakfast on a regular basis, or come close to three meals a day, now is the time to start. Regular, wellbalanced meals are important for strength and stamina! High fiber cereals, bagels with peanut butter, whole grain toast, hot cereals with dried fruits and nuts, and fresh fruits or juices are some good choices.

Choose complex carbohydrates more often, instead of those that are refined.

Whole grain breads, cereals and pastas are good examples, as well as fruits and vegetables.

Strive to eat a minimum of five fruits and vegetables a day.

Fruits and vegetables are loaded with important vitamins and minerals. And although vitamins and minerals don't supply you with energy, they help you use foods more efficiently for fuel. And, fruits and vegetables are packed with powerful phytochemicals that keep your immune system strong and protect you from illness. Choose fresh or frozen most often. And, when buying canned fruits, avoid those with heavy or light syrups, instead pick those packed in water or in their own juice. If buying canned vegetables, choose lowsodium varieties to avoid excess salt, which can cause fluid retention.

Cut back on heavy foods, such as fatty meats and full-fat dairy products.

Instead, choose lean meats such as round or loin cuts of beef, loin cuts of pork, waterpacked tuna, egg whites, skinless chicken or turkey. And, remember to bake, broil, roast or grill, instead of pan frying. Or, better yet, try a few meatless meals a week using other proteins like soy, nuts or nut butters, or dry beans - they not only give you high quality protein, but they also offer you other health benefits. Choose non-fat or low-fat dairy foods.

Stay adequately hydrated.

Remember to drink plenty of fluids every day - regardless of your workout plans. By the time you recognize thirst you are already dehydrated. Plan to drink eight to ten glasses a day on a regular basis. Rely on water as your primary source for fluid unless exercising strenuously, or for extended periods of time, such as 90 minutes or more. Remember jogging one mile burns off approximately 100 calories, and some sports drinks are loaded with calories. Be careful and read those labels.

Get plenty of rest.

Rest helps your muscles recuperate and rejuvenate. You will enjoy workouts more and experience less fatigue with proper rest. Strive for at least eight hours of sleep a day.



Use supplements wisely.

When workouts/distances increase to go minutes or longer, sports drinks or supplemental bars/gels may be useful in improving endurance. Endurance athletes should take in 30-60 grams of carbohydrates (120-240 calories) every hour. This amount can be obtained from either carbohydrate-rich foods (fruits, grains, liquid meals, and sports bars or gels) or Powerade. Try supplements of any kind while training to avoid unwanted gastrointestinal problems on race day!

Timing is everything.

Avoid eating too close to workouts as stomach cramps or discomfort may result. Give yourself at least an hour after eating before exercising, and even longer after big meals.

Race Day!

Make plans to consume a carbohydraterich meal one to four hours before the race (300-400 calories one hour before or 700-800 calories four hours before). Carbohydrate foods are rapidly digested to provide a readily available source of energy. Some good examples include bread products (adding jams or jellies increase carbohydrate content), cereals, fruits, non-fat or low fat yogurt, sports bars, liquid meals, fruit juices and one percent fat milk or soy milk. Limit high-fiber foods the day of race, such as bran, as they may lead to cramping.



The Power of Recovery — The R4 System

The ability to perform optimally day after day is limited by your body's ability to recover from the stress of training. Many factors affect the rate and quality of recovery, including sleep and alcohol consumption, but nutrient timing and nutrient density are unquestionably the most important. To optimize recovery from training and competition follow the R4 System outlined below.

REhydrate — Electrolytes and water
REplenish — Muscle and liver glycogen
REpair — Muscle tissue
REduce — Oxidative stress

REHYDRATE: Drink, drink, drink!

- Dehydration is the number one cause of fatigue and sub-par performance.
- Drink half your bodyweight in ounces of water each day, excluding consumption during exercise.
- Drink four to eight ounces (water or Powerade and Louisville pure tap™ every 15-20 minutes during exercise
- Begin replacing lost fluids immediately post-exercise.
- Drink two cups (16 ounces) of fluid for every pound of bodyweight lost during your workout as soon as possible.
- Drink both Powerade and Louisville pure tap™ to rehydrate.
- Drink adequately to maintain abundant urine output that is clear in color.
- Avoid alcohol and caffeine, especially during the first 2 hours after exercise.
- Remember: If you're thirsty, you're dehydrated!

REPLENISH: Carb-up with high quality carbs

- Muscle and liver glycogen are the body's primary source of fuel during exercise, and may become a limiting factor during extended workouts.
- Muscle glycogen is made in the body from the carbohydrates you eat.
- Consuming fast-absorbing carbs during long workouts (bars and gels delay depletion; after an intense workout glycogen stores may be significantly depleted).
- Begin replenishing glycogen stores immediately after exercise – the first 2 hours is the most important time in the recovery process.
- Carbohydrates eaten during this twohour "window" will expedite glycogen repletion and recovery.
- A fast-absorbing carbohydrate-rich supplement or snack that includes some protein should be consumed within the first 15-20 minutes after exercise, followed by a slow-absorbing carbohydrate-rich meal with lean protein and healthy fats within two hours.

REPAIR: Pack protein in every meal and snack

- Protein plays a key role in recovery accelerating glycogen repletion, and repairing and rebuilding muscle tissue.
- Protein should be ingested along with carbohydrate in the first 15-20 minutes after exercise to stimulate repair and prevent further muscle breakdown (caused by the stress hormone cortisol).



- The Optimum Recovery Ratio for an endurance athlete is 4:1 (four grams of carbohydrate to one gram of protein) so look for products with this formulation (i.e., Endurox).
- Whey protein is the premier protein for recovery and enhanced immune system function. You can simply add a scoop of whey to Powerade for a solid recovery drink, or use low-fat chocolate milk.
- Keep in mind, too much protein (fat has a similar effect) taken in the first two hours after exercise slows gastric emptying thereby slowing rehydration and glycogen replenishment.

REDUCE: Eat your fruits and veggies; add some nuts, seeds, olives and fish

- Exercise is stress, especially high volumes of long distance running.
- This stress is primarily caused by unstable molecules produced during oxygen metabolism, which results in inflammation, soreness, muscle trauma and delayed recovery.
- Reducing/minimizing oxidative stress is possible by ingesting antioxidants and healthy fats at the right times.
- Antioxidants nutrients include vitamins C and E, and phytonutrients found in specific fruits and vegetables.
- Consuming antioxidant-rich foods and drinks post-exercise has been shown to minimize oxidative stress, thereby accelerating recovery.

- Eating fruits and vegetables in the postexercise meal should be a top priority, as well as taking a multi-vitamin rich in the antioxidant nutrients.
- New research suggests drinking specific antioxidant-rich drinks before exercise may protect cell structure during exercise, reducing cell damage and inflammation.
- This new concept in nutritional intervention known as PRECOVERY merits consideration. Intense exercise can compromise the immune system making you more susceptible to colds and infection. In addition to antioxidants, ensure that you are getting protein and healthy fat in your diet. Healthy fat is found in fish, nuts, seeds, olives, extra virgin olive oil, avocados and flax seed oil.

Teena Murray, 2008



Health and Performance Checklist

- 1. Do you eat breakfast seven days a week?
- 2. Do you eat foods from three different food groups at breakfast (ie: fruit, whole grain and protein)?
- 3. Do you eat two to three balanced meals at approximately the same time each day?
- 4. Do you eat a nutritious mid-morning and midafternoon snack that includes at least one serving of protein?
- 5. Do you eat at least two pieces of fresh fruit each day?
- 6. Do you eat at least three servings of fresh vegetables each day (one serving equals the size of your fist)?
- 7. Do you only choose high fiber breads and cereals?
- 8. Do you eat lean and/or low-fat protein at each meal (i.e., skim milk versus two percent milk)?
- 9. Do you limit your intake of saturated fat, typically found in meats, cheeses, dairy products, butter, egg yolks?
- 10. Do you eat at least two servings of "good fat" each day, typically found in nuts, seeds, extra virgin olive oil, olives, avocados and fish?
- 11. Do you limit your intake of processed and refined foods, typically foods made from white flour, foods high in sugar and sodium, packaged foods?

- 12. Do you eat and drink adequately to maintain your bodyweight? (This should be your goal unless you are on a fat loss or weight gain program.)
- 13. Do you eat a post-workout/post-practice snack within 30 minutes?
- 14. Do you eat a post-workout/post-practice meal within two hours?
- 15. Do you drink half your bodyweight in ounces of water each day (not including fluid intake during exercise)?
- 16. Do you sleep at least seven to eight hours each night?
- 17. Do you go to bed at approximately the same time each night and get up at approximately the same time each morning (within 30 minutes of the same time)?
- 18. Do you take a multivitamin rich in the antioxidant nutrients (vitamins A, C, E, phytonutrients) each day?
- 19. Do you take 1,000 mg. of fish oil each day?
- 20. Do you limit or avoid alcohol?

SCORE:	/20

16-20: Performing like a champ! 11-15: Losing an edge!

<10: Missing out big time!

Teena Murray, 2008



Sports Medicine



Harming is a descending activity requiring a betance of espetitive interproduction and shock absorption. The causes of running related injuries are restli-factorial. Both intrinsic factors (age, gender, body type, training level, conditioning, fled billight and extrinsic factors (worther, running surface, training course, running shous) play a role in how your body adapts for does not adapt? In the domainds imposed upon it. Whether you are an Olympic calibor runner or just run to emirtain your health, don't let the domainds of your activity get you down. Our "Remort's Edge" program is designed to evaluate and improve the efficiency of your lady, allowing you to improve your performances and decrease the risk of injury.

Our licensual professionals are uniquely trained to evaluate your risk for injury and to develop are individualized plan to help you avoid these pitfalls and reastings your ability to least on making.

The "Rumer's Edge" program includes:

Basin Assessment Pankago is 60 minutes at a cost of \$120 Assessment by a Licensed Robab Professional Includes.

- Functional Movement Sciencing
- Y Balance Test
- 3 Di musional Vidno Aralysis
- Overview of results with customized corrective nuncious

Single 45 minute training session is \$50 Group of three 45 minute training sessions is \$150.

Locations:

Frazier Rehab Institute | Owsley Brown Frazier Sports Medicine Center

215 Central Avenue, Suite 200 Louisville, KY 40208 P 502.637.9313 • F 502.635.6317

Frazier Rehab Institute | Sports Medicine

201 Abraham Flexner Way, Suite 102 Louisville, KY 40202 P 502.560.8300 • F 502.560.8480

Frazier Rehab Institute | Northeast

2401 Terra Crossing Boulevard, Suite 204 Louisville, KY 40245 P 502.210.4500 • F 502.210.4505

Call any of these locations to get started today.



Frazier Rehab's Knee Injury Prevention Program

Participation in organized and recreational sports is at an all-time high. There is inherent risk of injury in all athletes who participate in sports. It's estimated that more than 40 million people in the U.S. run on a regular basis. Of those individuals, nearly half report injury each year. The most commonly injured body part is the knee.



Why are knee injuries so common?

There are many factors that place athletes, especially runners, at risk for knee injury. From running surface to shoe wear, anatomy, level of training, previous injuries and mileage are among the risk factors. Muscle tightness, muscle weakness, poor conditioning, joint hypermobility, hip, knee and foot alignment can all play a role in injury. Gender and age can also play a role. For example, studies consistently site a higher risk of stress fracture among females, and excessive mileage is largely associated with injury in male runners.

How can a Knee Injury Prevention Program Help Reduce Risk?

Current research demonstrates that a preventative program focusing on education, strength training, and cardiovascular training can help reduce the risk of knee injury in both

men and women. These programs focus on strengthening the muscles that improve the position of the knee during activity, and protect the anterior cruciate ligament. In addition these programs teach athletes how to land and change direction properly. Lastly these programs help to improve cardiovascular fitness which will decrease the level of fatigue during competition.

Who benefits from a Preventative Knee Injury Program?

- Anyone who competes in sports at a competitive level
- Any athlete wishing to reduce their risk of injury
- Club level athletes

What does the program include?

- Initial program evaluation
- Instruction in a home training program
- Medically supervised training sessions (3x per week for 6 weeks)
- Post program evaluation

*Program is customized, addressing the individual's limitations and asymmetries.

Pre & Post Program Evaluation:

Owsley Brown Frazier Sports Medicine Center 215 Central Avenue, #200 Louisville, KY 40208 502-637-9313

Call to schedule your evaluation and begin your personalized training today.



Stretching

- 1. Quadriceps Stretch: The quadriceps is the muscle in the front of the thigh, important for lifting your knees and increasing your speed. It is the "quads" that often go at the end of marathons, causing runners to come shuffling across the finish line because they have a hard time lifting their feet off the ground. To do this exercise while standing, simply grab hold of a stationary object for balance with one hand and use the opposite hand to grasp the leg around the ankle, lifting it toward your buttocks. Keep your back straight and do not allow the knee to drift forward ahead of the stance leg. Hold each stretch for 10 seconds and repeat as many as 10 times for each leg.
- 2. Hamstring Stretch: Most runners do this exercise by putting their foot on a waisthigh stationary object (or a hurdle if at the track) and slowly leaning forward, reaching down the shin until they feel a stretch in the hamstring. The hamstring is the muscle that runs from just below the knee up into the buttocks. It's the muscle that lifts the lower leg and bends the knee after the quads have lifted your knees. Sprinters pull this muscle more than distance runners, but even straining your hamstring can limit your ability to run fast. The best way to do this exercise, however, is not with your foot on a stool, but rather while lying on your back. Lie on your back, keeping the back flat and your eyes focused upward. Grasp the back of one thigh with both your hands and (leg bent) pull that thigh into a 90-degree position versus the floor. Then slowly straighten your knee. After you've gotten used to doing this exercise,









you can achieve a better stretch by pulling your thigh closer to your chest—but don't overdo it!

- 3. **Piriformis Stretch:** The piriformis muscle is responsible for lateral rotation of the hip. It is particularly important to athletes who have to change direction, such as tennis players and running backs in football. Even though runners run straight ahead, keeping the piriformis muscle loose is important for overall flexibility. Lying on your back, cross your legs just as you might while sitting in a chair. Grasping the "under" leg with both hands, pull the knee toward your chest until you feel the stretch in your buttocks and hips.
- 4. **Gastroc Stretch**: This push-off exercise is the one you most often see runners doing before races. Typically, they lean against a wall to stretch the calf muscles; however, they don't always do it right. The gastroc muscle, along with the soleus, is located in the back of the calf. It is the calf muscle that actually propels your leg across your grounded foot while running. Lean against a wall or other stationary object, both palms against the object. The leg you want to stretch is back, several feet from the wall, your heel firmly positioned on the floor. Your other leg is flexed about halfway between your back leg and the wall. Start with your back straight and gradually lunge forward until you feel the stretch in your calf. It is important to keep your back foot straight and angled 90 degrees from the wall.







5. Soleus Stretch: This is the stretch that most runners forget. The soleus is the other major muscle in the calf, located in front of the gastroc. It is important for planting the foot on the ground before your push off. Position yourself similar to the gastroc stretch with back straight and palms against the wall. The difference is that you start in a "seated" position with your legs bent, your buttocks dropped. Gently lean into the wall until you feel the stretch in your lower calf.





Heart Rate Training Zones

Heart rate training zones are calculated by taking into consideration your Maximum Heart Rate (MHR) and your Resting Heart Rate (RHR). Within each training zone, subtle physiological effects take place to enhance your fitness.

The Energy Efficient or Recovery Zone — 60 to 70 percent

Training within this zone develops basic endurance and aerobic capacity. All easy recovery running should be completed at a maximum of 70 percent. Another advantage to running in this zone is that while you are happily fat burning you may lose weight. And you will allow your muscles to reenergize with glycogen, which has been expended during those faster paced workouts.

The Aerobic Zone — 70 to 80 percent
Training in this zone will develop your
cardiovascular system. The body's ability
to transport oxygen to, and carbon dioxide
away from, the working muscles can be
developed and improved. As you become
fitter and stronger from training in this
zone, it will be possible to run some of your
long weekend runs at up to 75 percent, so
getting the benefits of some fat burning
and improved aerobic capacity.

The Anaerobic Zone — 80 to 90 percent

Training in this zone will develop your lactic acid system. In this zone, your individual anaerobic threshold (AT) is found – sometimes referred to the point of deflection (POD). During these heart rates, the amount of fat being utilized

as the main source of energy is greatly reduced and glycogen stored in the muscle is predominantly used. One of the byproducts of burning this glycogen is lactic acid. There is a point at which the body can no longer remove the lactic acid from the working muscles quickly enough. This is your AT. Through correct training, it is possible to delay the AT by increasing your ability to deal with the lactic acid for a longer period of time or by pushing the AT higher.

The Red Line Zone — 90 to 100 percent

Training in this zone will only be possible for short periods. It effectively trains your fast twitch muscle fibers and helps to develop speed. This zone is reserved for interval running and only the very fit are able to train effectively within this zone.

Heart rate variations for a given intensity

A reduction in heart rate for a given intensity is usually due to an improvement in fitness but a number of other factors might explain why heart rates can vary for a given intensity:

- Dehydration can increase the heart rate by up to 7.5 percent
- Heat and humidity can increase the heart rate by 10 beats/minute
- Altitude can increase the heart rate by 10 to 20 percent, even when acclimated
- Biological variation can mean the heart rate varies from day to day by two to four beats per minute

For more information: www.illpumpyouup.com



Resting Heart Rate

To determine your resting heart rate (RHR) is very easy. Find somewhere nice and quiet, lie down and relax. Position a watch or clock where you can clearly see it while lying down. After 20 minutes, determine your resting pulse rate (beats/min). Use this value as your RHR.

If you have a heart rate monitor, put it on before you lie down. After the 20 minutes check the recordings and identify the lowest value achieved. Use this value as your RHR.

The heart is a muscle so with regular exercise it will become larger and more efficient as a pump. As a result, you will find your RHR gets lower so you will want to check your RHR on a regular basis (e.g. monthly).


Calculation of a zone value

The calculation of a zone value, X percent, is performed in the following way:

- Subtract your RHR from your MHR, which gives your working heart rate (WHR)
- Calculate the required X percent on the WHR, which gives "Z"
- Add "Z" and your RHR together to give the final value

Example: The athlete's MHR is 180 and his/ her RHR is 60, determine the 70 percent value

- MHR RHR = 180 60 = 120
- 70 percent of 120 = 84
- 84 + RHR = 84 + 60 = 144



2019 TRAINING PROGRAM

URBAN BOURBON HALF MARATHON presented by Jim Beam®

Sponsored By:





Four Training Universals

Rest means no running. Give your muscles and synapses some serious R&R so all systems are primed for the next workout. Better two quality days and two of total rest than four days of mediocrity resulting from lingering fatigue. Rest days give you a mental break as well, so you come back refreshed.

Easy Runs mean totally comfortable and controlled. If you're running with someone else, you should be able to easily converse. You'll likely feel as if you could go faster. Don't. Here's some incentive to take it easy: You'll still burn 100 calories every mile you run, no matter how slow you go.

Long Runs are any steady runs at or longer than race distance designed to enhance endurance, which enables you to run longer and longer and feel strong doing it. A great long-run tip: Find a weekly training partner for this one. You'll have time to talk about anything that comes up.

Speed Work means bursts of running shorter than race distance, some at your race goal pace, some faster. This increases cardiac strength, biomechanical efficiency, better running economy and the psychological toughness that racing demands. Still, you want to keep it fun.

Beginner Half Marathon Training

Profile

You've run for at least a year, but you're still a racing neophyte. You can run five miles at a time without distress, average 15 to 20 miles a week, and have finished a 5K, perhaps even a 10K. Now you want to go longer, though not yet to a marathon, and your race time is less important to you than finishing.

Schedule Tips

As a beginner, you're going to do two things. First, incrementally increase your weekly mileage and long run, which translates into more endurance. You'll need this in order to run for more than two hours. Second, you'll do some gradually longer bits of running at faster than your normal pace to build up your stamina and keep you strong over the last third of the race.

Aerobic Intervals (AI)

You push the pace. But just a little. Find a tempo that feels somewhere between comfortable and "Hey, I'm workin' a little here." Don't run this too hard. Trying to add too much intensity while you're also increasing mileage spells I-N-J-U-R-Y. When you finish the timed AI, jog very slowly until your breathing returns to normal, then work back into your regular pace. On all other days, just run your assigned miles.

Cross-Train

On cross-training days, you participate in some other sport for 30-60 minutes. It could be walking, biking, swimming or some combination of all three. The goal of cross-training is to relax your muscles before or after your long runs. Strength training is another cross-training option. If you already lift, you can continue to do so



as per your regular schedule, but it's usually not a good idea to lift before you run. After, or on another day of the week, usually works better. Do not cross-train too hard or you'll compromise your ability to do the long runs.

Gentle Pickups (GP)

At the end of your run, walk for several minutes, then slowly increase your leg turnover on a flat stretch for 100 meters — the straightaway on a track — up to the point where you start to breathe hard. Hold it there for 10 to 20 meters, then gradually slow down. Walk to full recovery before you start the next one. The purpose of both Al and GP is to improve your stamina, leg speed, running efficiency and to make your normal pace feel more comfortable. What's more, this kind of up-tempo running adds variety to your training. Always a good thing.

Race Day Rules

Start at the back of the pack, and run more slowly than you think you should for the first few miles. Keep it reined in. Stay completely, totally comfortable. Work your way into a controlled rhythm as the race proceeds, and stop at every aid station. Don't slow down, stop. Drink plenty, eat some, rest a bit (but no more than 30 seconds), and stretch your legs if you need to. Then get going again. With a well-rested body from your taper week, and thanks to race-day adrenaline and the energy of the field, you'll get through the last three miles fine, perhaps even enjoy them.

Intermediate Half Marathon Training

Profile

You have a solid aerobic base. You have been running consistently for several years, tried various kinds of speed training, average 25 to 30 miles a week, and may even have finished a half-marathon. But now you want to race a half. That is, you have a specific finishing time in mind, and you're willing to train hard to achieve it.

Schedule Tips

"Intermediate runners have enough experience and strength to support some faster running — but within the context of increased weekly mileage and an adequate long run, which remains the key to improvement at this level," says Anaerobic Management coach Jon Sinclair (anaerobic. net). "So be careful when you add speed, because what we're after here is greater endurance, the ability to run longer at race pace." That's the crux of the Intermediate plan. To that end, Sinclair also suggests "adding some tempo to at least some of the long runs when they're maybe going just a bit faster over the final 10 to 15 minutes." That's a bit faster, okay? No bug-eyed straining.

"I would also include some interval miles at faster than projected race pace, "Sinclair adds "Interval tempo here should be challenging, but not too crazy. And the recovery should



be enough to support the effort
— down to a 120 heart rate,
400-meter jog, whatever it takes.
If the rest isn't long enough, you
can't maintain the quality."

Pace Intervals (PI)

Relatively lengthy repetitions at your goal half-marathon per-mile pace to build endurance and develop pace judgment.

Note: All numbers in parentheses above denote distance of recovery jog.

Cruise Intervals (CI)

Run at 10K race pace to promote stamina and the ability to run strong when tired. For 10:00-per-mile half-marathon pace (2:11:06), run 7:07 (1200), 4:45 (800); for 9:00 pace (1:57:59), run 6:24 (1200), 4:16 (800); for 8:00 pace (1:44:52), run 5:42 (1200), 3:48 (800).

Speed Intervals (SI)

Run at 5K race pace to promote relaxed speed and a sense of comfort at your considerably slower half-marathon pace. For 10:00 half-marathon pace, run 4:30 (800), 2:15 (400), 1:07 (200); for 9:00 half-marathon pace, run 4:04 (800), 2:02 (400), 1:01 (200); for 8:00 half-marathon pace, run 3:37 (800), 1:48 (400), 0:54 (200).

Strides (S)

Over 100 meters, gradually accelerate to 90 percent of all-out, hold it for five seconds, then decelerate. Walk to full recovery after each.

Total Uphill Time (TUT)

Work the uphill sections during your run, at something near a strong 10K effort in the total time called for.

Race Day Rules

To warm up, jog just 800 meters, and then do a few fast strides. That's it. Keep your glycogen tanks topped off and your legs fresh. Divide your half like this: 10-mile run, 5K race. Run the first mile just slower than goal pace, then work into a rhythm and run just below your lactate threshold level so you don't implode an hour out. And draft off other runners to conserve energy. Do all these things, and you'll be fine.

Advanced Marathon Training

Profile

You've run and raced for many years. You've finished just about every distance — half-marathon and perhaps full marathons included — and have averaged 35-plus miles a week for at least the last six months. You've run some PRs at shorter distances, and now you want to push yourself without putting in the major mileage a marathon demands. And you're willing, even eager, to increase the intensity of your speed work.

Schedule Tips

"A primary goal at the advanced level is increased weekly mileage, and make sure it includes an adequate long run," advises Coach Sinclair. "Everyone understands the need to do a long run for a marathon,



but too many fail to see the need for it in training for a half. Don't do a ton of them, but doing one or two really helps."

And there's another thing, too: At this point in your running life, "long run" doesn't mean just more time on your feet. It means sticking some intensity in there. Focusing less on adding length and more on adding quality is vital to a good racing effort over a long distance like the half. We have a few patterns for you to play with, such as LRSI and SRFF. We also have you doing increasingly longer runs at your halfmarathon pace to teach your body what it feels like.

Cross-Train

Normally cross-training is not prescribed for advanced runners. That's because you're usually more focused on pure running than Novice or Intermediate runners. But if you find that cross-training helps you prevent injuries, or if you enjoy it, feel free to substitute cross-training on one or more of the easy days. Notice the word substitute. Usually it's not a good idea to add crosstraining, particularly hard cross-training, to an existing schedule under the mistaken belief that it will make you stronger. It may actually cause you to over-train, which can have a negative effect on performance, because you never get a chance to rest. What form of cross-training works best? It could be swimming, cycling, walking, crosscountry skiing, snowshoeing or even some

combination that could include strength training.

Lastly, to run a PR half, you must be able
— and willing — to maintain a fast-for-you
pace in the face of increasing fatigue. So
you need to train to run goal pace after
having already done enough running to tire
yourself. This is the purpose of our Fatigue
Fighter sessions—short, sub race-pace
reps followed by an extended run at your
half-marathon goal speed to simulate the
demands of the race itself.

Pace Intervals (PI)

For what and why, see the Intermediate schedule.

Cruise Intervals (CI)

For what and why and for 8:00-permile half-marathon goal pace, see the Intermediate schedule; for 7:00 half-marathon goal pace (1:31:46), run 6:40 for 1-mile, 5:00 (1200), 3:20 (800); for 6:00 goal pace (1:18:39), run 5:34 for 1-mile, 4:10 (1200), 2:47 (800).

Speed Intervals (SI)

For what and why, see the Intermediate schedule. If your half-marathon goal pace is 8:00 per mile (1:44:52), run 3:37 (800), 1:48 (400), 0:54 (200); for 7:00 half-marathon pace, run 3:09 (800), 1:35 (400), 0:48 (200); for 6:00 half pace, run 2:42 (800), 1:22 (400), 0:41 (200).



Strides (S)

See Intermediate schedule.

Fatigue Fighter Intervals (FFI)

FF Intervals combine Speed and Pace Intervals nearly back-to-back-to-back (very short recoveries) to work on maintaining pace and staying relaxed as you gradually tire. Yes, they're challenging. Jog five to seven minutes easy between sets.

Long Run (LR)

This means a moderate pace (roughly 60 to 75 seconds slower than your half-marathon goal pace). Long Run Stamina (LRS) means to run three to six miles at half-marathon goal pace in the middle third of the run. Long Run Fartlek (LRF) means to alternate one minute at 10K pace with one-minute jogs in the middle third of the run. Long Run Fast Finish (LRFF) means to run the final 15 minutes at 10K pace.

Bibliography

Higdon, Hal. "Hal Higdon's Marathon Training Plans | TrainingPeaks." Free Training Log, Training Plans and Food Diary | TrainingPeaks. Hal Higdon. Web. 13 July 2011. http://home.training-plans/hal-higdon.aspx.

Higdon, Hal. Jewish Sports Medicine Derby Festival Training Program. Tech. Comp. Kentucky Derby Festival and Jewish Sports Medicine. Louisville: Kentucky Derby Festival, 2011. Print

Rennie, Doug. "The Runner's World.com Ultimate Half Marathon Training Plan." Runner's World: Running Shoes, Marathon Training, Racing. Runner's World, Aug. 2004. Web. 13 July 2011. http://www.runnersworld.com/article/0,7120,56-238-244-258-6851-1-1X2X5X8-4,00.html.



Sports Medicine

Simday	Monday	Tuesday	AUGUST	Thursday	Friday	Saturday
(approx			31 N: 2 Miles I: 3 Miles A: 5 Miles	1 N: 4 Miles L: 5 Miles A: 6 Miles	2 Rest/Cross Train	3 N: 6 Miles I: 7 Miles A: 8 Miles
4 N: Rest/Cross Train I: Rest/Cross Train A: 5 Miles	5 N: 4 Miles I: 4 Miles A: Fartlek (6mi)	6 N: Rest/Cross Train t: Farlek (4mi) A: 5 Miles	7 N; 5 Miles I: 3 Miles A; 5 Miles	N:3 Miles L:4 Miles A: 5x1600m	9 Rest/Cross Train	10 N: 6 Miles I: 7 Miles A: 8 Miles
11 N: Rest/Cross Train I: Rest/Cross Train A: 5 Miles	12 N: 3 Miles I: 4 Miles A: 6 Miles	13 N. Rest: I: 4x1200m A: 6x1200m	14 N: 4 Miles I: 4 Miles A: 5 Miles	15 N: 4 Miles I: 4 Miles A: 5 Miles	16 Rest/Cross Train	17 N: 7 Miles I: 8/9 Miles A: 10 Miles
18 N: Rest/Cross Train I: Rest/Cross Train A: 5 Miles	19 N: 3 Miles I: 4 Miles A: 6 x 800m	20 N: Rest/Cross Train E: 5 x 800m A: 5 Miles	21 N: 5 Miles I: 4 Miles A: 5 Miles	22 N: 3 Miles I: 5 Miles A: Fartlek (6mi)	23 Rest/Cross Train	24 N: 7 Miles I: 8/9 Miles A: 10 Miles
25 N: Rest/Cross Train I: Rest/Cross Train A: 5 Miles	26 N: 4 Miles I: 4 Miles A: 5 Miles	27 N: Rest/Cross Train I: Fartlek (4mi) A: Fartlek (6mi)	28 N: 4 Miles I: 4 Miles A: 5 Miles	29 N: 2 Miles L: 3 Miles A: 6 Miles	30 Rest/Cross Train	31 N: 8 Mies I: 9/10 Miles A: 11 Miles
Notes: On workout da Tempo: Add 3 Intermediate I Advanced Fa Rep Workout Rep Workout	ys, be sure to warm uso to 40 seconds to you fartlek: Fartlek segment thek: Fartlek segment s: Run reps at current s: Rest between reps tun at 1 mile pace or fi	On workout days, be sure to warm up and cool down to help loosen up muscles and prevent injuries. Tempo: Add 30 to 40 seconds to your current 5-K pace, an 8 on a 1 to 10 scale of perceived effort. Intermediate Fartlek: Fartlek segments of 30 seconds, 1 or 2 minutes followed by equal or double rest segments. Advanced Fartlek: Fartlek segments of 1, 2 or3 minutes followed up equal rest segments. Rep Workouts: Run reps at current 5k pace or perceived effort of 8 on a scale of 1 to 10. Rep Workouts: Rest between reps - subfract 1:30 or more from your goal rep pace i.e. 5 minute 1200/3:30 rest 200's/400's: Run at 1 mile pace or faster, perceived effort 9 out of 10; rest equal to rep time	loosen up muscles an 8 on a 1 to 10 scale of r 2 minutes followed by sllowed by sllowed up equal rest se ffort of 8 on a scale of from your goal rep pactout of 10; rest equal to	d prevent injunes perceived effort equal or double rest s sgments 1 to 10 e i.e. 5 minute 1200/3: rep time	egments 30 rest	



			SEPTEMBER	œ		
Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1 N: Rest/Cross Train I: Rest/Cross Train A: 5 Miles	2 N: 4 Miles I: 4 Miles A: Fartlek (6mi)	3 N: Rest/Cross Train I: Fartlek (4mi) A: 5 Miles	4 N: 5 Miles I: 3 Miles A: 5 Miles	5 N: 3 Miles I: 4 Miles A: 5x1800m	6 Rest/Cross Train	7 Louisville pure tap° 5K 8:30 AM
8 N; 9 Miles I; 9 Miles A: 10 Miles	9 N: 3 Miles I: 4 Miles A: 6 Miles	10 N: Rest I: 4x1200m A: 6x1200m	11 N: 4 Miles I: 4 Miles A: 5 Miles	12 N: 4 Miles I: 4 Miles A: 5 Miles	13 Rest/Cross Train	14 N: 6/7 Miles I: 12 Miles A: 13 Miles
15 N; Rest/Cross Train I: Rest/Cross Train A: 5 Miles	16 N: 3 Miles I: 4 Miles A: 6 x 800m	17 N: Rest/Cross Train E.5 x 800m A: 5 Miles	18 N: 5 Miles I: 4 Miles A: 5 Miles	19 N: 3 Miles I: 5 Miles A: Fardek (6mi)	20 Rest/Gross Train	21 Norton Sports Health 10K 9:00 AM
22 N: Rest/Cross Train I: Rest/Cross Train A: 5 Miles	23 N: 4 Miles I: 4 Miles A: 5 Miles	24 N: Rest I: 3 to 5 Mile Tempo A: 5 to 6 Mile Tempo	25 N: 6 Miles I: 4 Miles A: 5 Miles	26 N: 4 Miles I: 5 Miles A: 5 Miles	27 Rest/Cross Train	28 N: 10 Miles I: 12 Miles A: 13 Miles
29 N: Rest/Cross Train I: Rest/Cross Train A: 6 Miles	30 N: 5 Miles I: 5 Miles A: 5 Miles					
Notes: On workout do Tempo: Add 3 Intermediate Advanced Fa Rep Workout Rep Workout	On workout days, be sure to warm up and Tempo: Add 30 to 40 seconds to your cur Intermediate Fartlek: Fartlek segments of Advanced Fartlek: Fartlek segments of 1 Rep Workouts: Run reps at current 5k ps Rep Workouts: Rest between reps - subt 200's/400's: Run at 1 mile pace or faster,	On workout days, be sure to warm up and cool down to help loosen up muscles and prevent injuries. Tempo: Add 30 to 40 seconds to your current 5-K pace, an 8 on a 1 to 10 scale of perceived effort. Intermediate Fartlek: Fartlek segments of 30 seconds, 1 or 2 minutes followed by equal or double rest segments. Advanced Fartlek: Fartlek segments of 1, 2 or3 minutes followed up equal rest segments. Rep Workouts: Run reps at current 5k pace or perceived effort of 8 on a scale of 1 to 10. Rep Workouts: Rest between reps - subtract 1:30 or more from your goal rep pace i.e. 5 minute 1200/3:30 rest 200/s/400's: Run at 1 mile pace or faster, perceived effort 9 out of 10; rest equal to rep time	I cool down to help loosen up muscles and prevent ment 5-K pace, an 8 on a 1 to 10 scale of perceived 30 seconds, 1 or 2 minutes followed by equal or 1, 2 or3 minutes followed up equal rest segments ace or perceived effort of 8 on a scale of 1 to 10 bract 1:30 or more from your goal rep pace i.e. 5 min perceived effort 9 out of 10, rest equal to rep time	d prevent injuries perceived effort equal or double rest sgments to 10 si.e. 5 minute 1200/3 rep time	egments 30 rest	



Sports Medicine

			OCTOBER	20		
Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		1 N: Rest I: 200's/400's A: 200's/400's	2 N: 4 Miles I: 4 Miles A: 4 Miles	6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 Rest/Cross Train	5 N: 8 Miles I: 10 Miles A: 10 Miles
6 N: Rest/Cross Train I: Rest/Cross Train A: 4 Miles	7 N: 4 Miles I: 4 Miles A: 4 Miles	N: Rest I: 3 Miles A: 4 Miles	9 N: 2 Miles I: 3 Miles A: 4 Miles	10 N: 15 Min I: 3 Miles A: 4 Miles	11 N: Rest I: 2 Miles A: 3 Miles	12 N: 8 Miles I: 8 Miles A: 7 Miles
13 N: Rest/Cross Train I: Rest/Cross Train A: 2 Miles	14 N: 4 Miles I: 4 Miles A: 4 Miles	15 N: Rest I: 3 Miles A: 4 Miles	16 N: 2 Miles I: 3 Miles A: 4 Miles	17 N: 15 Min I: 3 Miles A: 4 Miles	18 N: Rest I: 2 Miles A: 3 Miles	19 URBAN BOURBON HALF MARATHON 8:00 AM
20 *Make sure to stretch and walk to aid recovery!*	21	22	23	24	25	26
Notes: On workout day Tempo: Add 3d Intermediate F Advanced Fart Rep Workouts Rep Workouts Rep Workouts	ys, be sure to warm u 0 to 40 seconds to yo artlek: Fartlek segment tlek: Fartlek segment :: Run reps at current :: Rest between reps un at 1 mile pace or fi	On workout days, be sure to warm up and cool down to help loosen up muscles and prevent injuries. Tempo: Add 30 to 40 seconds to your current 5-K pace, an 8 on a 1 to 10 scale of perceived effort. Intermediate Fartlek: Fartlek segments of 30 seconds, 1 or 2 minutes followed by equal or double rest segments. Advanced Fartlek: Fartlek segments of 1, 2 or 3 minutes followed up equal rest segments. Rep Workouts: Run reps at current 5k pace or perceived effort of 8 on a scale of 1 to 10. Rep Workouts: Rest between reps - subtract 1:30 or more from your goal rep pace i.e. 5 minute 1200/3:30 rest 200's/400's; Run at 1 mile pace or faster, perceived effort 9 out of 10; rest equal to rep time	p loosen up muscles a n 8 on a 1 to 10 scale o or 2 minutes followed b followed up equal rest seffort of 8 on a scale of effort of 8 on a scale of from your goal rep pa 9 out of 10; rest equal	nd prevent injuries of perceived effort y equal or double rest segments f 1 to 10 ce i.e. 5 minute 1200/3 to rep time	segments	



Month:			Year:					Weight: Ibs.
Day	Activity	Type	Route	Weather	Distance	Time	Personal	Notes
Monday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.		Mood:	
	Cross-Train	Long Hills	Treadmill					
Tuesday	Training	Tempo Pace	Outdoor:	Тетпр:			Sleep:	
	Race	Interval Run		Other:	mi.	2 2	Mood:	
	Cross-Train	Long Hills	Treadmill					
Wednesday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.		Mood:	
	Cross-Train	Long Hills	Treadmill					
Thursday	Training	Тетро Расе	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.	: :	Mood:	
	Cross-Train	Long Hills	Treadmill					
Friday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.	:	Mood:	
	Cross-Train	Long Hills	Treadmill					
Saturday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.		Mood:	
•	Cross-Train	Long Hills	Treadmill					
Sunday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.		Mood:	
:	Cross-Train	Long Hills	Treadmill					
				Week Total				
						+ previous Year to Date total	to Date total	
				<u>YTD</u> Total				



Sports Medicine

Month:			Year:					Weight: lbs.
Day	Activity	Type	Route	Weather	Distance	Time	Personal	Notes
Monday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.	: :	Mood:	
	Cross-Train	Long Hills	Treadmill					
Tuesday	Training	Tempo Pace	Outdoor:	Тетр:			Sleep:	
	Race	Interval Run		Other:	mi.	3 3	Mood:	
	Cross-Train	Long Hills	Treadmill					
Wednesday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.	: :	Mood:	
	Cross-Train	Long Hills	Treadmill					
Thursday	Training	Тепро Расе	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.	1 1	Mood:	
	Cross-Train	Long Hills	Treadmill					
Friday	Training	Tempo Pace	Outdoor:	Тетр:			Sleep:	
	Race	Interval Run		Other:	mi.	:	Mood:	
	Cross-Train	Long Hills	Treadmill					
Saturday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.		Mood:	
	Cross-Train	Long Hills	Treadmill					
Sunday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.	:	Mood:	
	Cross-Train	Long Hills	Treadmill					
				Week Total				
						+ previous Year to Date total	o Date total	
				<u>YTD</u> Total				



Distance Time Personal Notes Notes	Year:	Year:	Year:						Weight: Ibs.
mi. mi. mi. mi. mi. Total Total	Activity Type Route W	Route		×	Weather	Distance	Time	Personal	Notes
mi. mi. mi. mi. mi. Total Total	Training Tempo Pace Outdoor: Ter	Outdoor:		Ter	np:			Sleep:	
mi. mi. mi. Lotal mi.	Race Interval Run Out		Ott	G	ier:	mi.		Mood:	
mi. mi. mi. mi. Total Total	Cross-Train Long Hills Treadmill	Hills	Treadmill						
mi. mi. mi. Lotal mi.	Training Tempo Pace Outdoor: Te	Outdoor:		ΙE	Теттр:			Sleep:	
mi. mi. mi. Total	Race Interval Run Ot		10	10	Other:	mi.		Mood:	
mi. mi. mi. Total Total	Cross-Train Long Hills Treadmill	Hills	Treadmill						
mi. mi. mi. Total Total	Training Tempo Pace Outdoor: Te	Outdoor:		Te	Temp:			:Sleep:	
mi. mi. mi. Total mi. Total	Race Interval Run Ott		DO OU	οť	Other:	mi.		Mood:	
mi. mi. mi. Total Total	Cross-Train Long Hills Treadmill	Hills	Treadmill						
mi. mi. mi. Total Total	Training Tempo Pace Outdoor: Temp:	Outdoor:		Ιсп	:dr			Sleep:	
mi. mi. Total Total	Race Interval Run Other.		Oth	oth	er:	mi.		Mood:	
mi. mi. Total Total	Cross-Train Long Hills Treadmill	Hills	Treadmill						
mi. mi. Total Total	Training Tempo Pace Outdoor: Temp:	Outdoor:		Тсп	ıp:			Sleep:	
mi. Total Total	Race Interval Run Ott		Off	õ	Other:	mi.		Mood:	
mi. Total	Cross-Train Long Hills Treadmill	Hills	Treadmill						
mi. Total Total	Training Tempo Pace Outdoor: To	Outdoor:		Ĕ	Temp:			Sleep:	
Total mi.	Race Interval Run Or		0	Ō	Other:	m.		Mood:	
Total mi.	Cross-Train Long Hills Treadmill	Hills	Treadmill						
Total mi.	Training Tempo Pace Outdoor: Te	Outdoor:		Te	Temp:			:Sleep:	
	Race Interval Run Ot		TO OI	ŏ	Other:	mi.		Mood:	
	Cross-Train Long Hills Treadmill	Hills	Treadmill						
	И	W .	KI.	2	Week Total				
<u>TD</u> Total							+ previous	Year to Date total	
				I	<u>YTD</u> Total				



Sports Medicine

Monde			17.					
MIOIIII.			i cal:					Weight: lbs.
Day	Activity	Type	Route	Weather	Distance	Time	Personal	Notes
Monday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.	: :	Mood:	
	Cross-Train	Long Hills	Treadmill					
Tuesday	Training	Tempo Pace	Outdoor:	Теттр:			Sleep:	
	Race	Interval Run		Other:	mi.	3 3	Mood:	
	Cross-Train	Long Hills	Treadmill					
Wednesday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.	: :	Mood:	
	Cross-Train	Long Hills	Treadmill					
Thursday	Training	Тепро Расе	Outdoor:	Теттр:			Sleep:	
	Race	Interval Run		Other:	mi	1 1	Mood:	
	Cross-Train	Long Hills	Treadmill					
Friday	Training	Tempo Pace	Outdoor:	Тетр:			Sleep:	
	Race	Interval Run		Other:	mi.	: :	Mood:	
	Cross-Train	Long Hills	Treadmill					
Saturday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.	: :	Mood:	
	Cross-Train	Long Hills	Treadmill					
Sunday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.	: :	Mood:	
	Cross-Train	Long Hills	Treadmill					
				Week Total				
						+ previous Year to Date total	Date total	
				<u>YTD</u> Total				



Month:			Year:				L	Г	Weight: the
~4,	Activity	Type	Route	Weather	Distance	Time	Personal		Notes
	Training	Tempo Pace	Outdoor:	Temp:			:gleep:		
	Race	Interval Run		Other:	mi.	: :	Mood:		
	Cross-Train	Long Hills	Treadmill						
	Training	Tempo Pace	Outdoor:	Тетр:			Sleep:		
L	Race	Interval Run		Other:	mi.		Mood:		
	Cross-Train	Long Hills	Treadmill					Г	
	Training	Tempo Pace	Outdoor:	Temp:			:Sleep:		
	Race	Interval Run		Other:	mi.		Mood:		
	Cross-Train	Long Hills	Treadmill						
L	Training	Тепро Расе	Outdoor:	Temp:			Sleep:		
L	Race	Interval Run		Other:	mi.	1 1	Mood:		
	Cross-Train	Long Hills	Treadmill						
	Training	Tempo Pace	Outdoor:	Temp:			:deels:		
	Race	Interval Run		Other:	'im	:	Mood:		
	Cross-Train	Long Hills	Treadmill						
	Training	Tempo Pace	Outdoor:	Temp:			Sleep:		
	Race	Interval Run		Other:	.im	: :	Mood:		
	Cross-Train	Long Hills	Treadmill						
	Training	Tempo Pace	Outdoor:	Temp:			:Sleep:		
	Race	Interval Run		Other:	imi		Mood:		
	Cross-Train	Long Hills	Treadmill						
				Week Total					
						+ previous	+ previous Year to Date total	lal.	
L				YTD Total					
1									



Sports Medicine

Month:			Year:					Weight: lbs.
Day	Activity	Type	Route	Weather	Distance	Time	Personal	Notes
Monday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.	: :	Mood:	
	Cross-Train	Long Hills	Treadmill					
Tuesday	Training	Tempo Pace	Outdoor:	Тетр:			Sleep:	
	Race	Interval Run		Other:	mi.	3 3	Mood:	
	Cross-Train	Long Hills	Treadmill					
Wednesday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.	: :	Mood:	
	Cross-Train	Long Hills	Treadmill					
Thursday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.	1 1	Mood:	
	Cross-Train	Long Hills	Treadmill					
Friday	Training	Tempo Pace	Outdoor:	Тетр:			Sleep:	
	Race	Interval Run		Other:	mi.	:	Mood:	
	Cross-Train	Long Hills	Treadmill					
Saturday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.		Mood:	
	Cross-Train	Long Hills	Treadmill					
Sunday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.	:	Mood:	
	Cross-Train	Long Hills	Treadmill					
				Week Total				
						+ previous Year to Date total	o Date total	
				<u>YTD</u> Total				



Month:			Year:				L	Г	Weight: the
~4,	Activity	Type	Route	Weather	Distance	Time	Personal		Notes
	Training	Tempo Pace	Outdoor:	Temp:			:gleeb:		
	Race	Interval Run		Other:	mi.	: :	Mood:		
	Cross-Train	Long Hills	Treadmill						
	Training	Tempo Pace	Outdoor:	Тетр:			Sleep:		
L	Race	Interval Run		Other:	mi.		Mood:		
	Cross-Train	Long Hills	Treadmill					Г	
	Training	Tempo Pace	Outdoor:	Temp:			:Sleep:		
	Race	Interval Run		Other:	mi.		Mood:		
	Cross-Train	Long Hills	Treadmill						
L	Training	Тепро Расе	Outdoor:	Temp:			Sleep:		
L	Race	Interval Run		Other:	mi.	1 1	Mood:		
	Cross-Train	Long Hills	Treadmill						
	Training	Tempo Pace	Outdoor:	Temp:			:deels:		
	Race	Interval Run		Other:	'im	: :	Mood:		
	Cross-Train	Long Hills	Treadmill						
	Training	Tempo Pace	Outdoor:	Temp:			Sleep:		
	Race	Interval Run		Other:	.im	: :	Mood:		
	Cross-Train	Long Hills	Treadmill						
	Training	Tempo Pace	Outdoor:	Temp:			:Sleep:		
	Race	Interval Run		Other:	imi		Mood:		
	Cross-Train	Long Hills	Treadmill						
				Week Total					
						+ previous	+ previous Year to Date total	lal.	
L				YTD Total					
1									



Sports Medicine

Month:			Year:					Woicht. Ibe
Day	Activity	Type	Route	Weather	Distance	Time	Personal	Notes
Monday	Training	Tempo Pace	Outdoor:	Temp:			:deels:	
	Race	Interval Run		Other:	mi.	: :	Mood:	
:	Cross-Train	Long Hills	Treadmill					
Tuesday	Training	Tempo Pace	Outdoor:	Тетр:			:daajs	
	Race	Interval Run		Other:	mi.		Mood:	
	Cross-Train	Long Hills	Treadmill					
Wednesday	Training	Tempo Pace	Outdoor:	Temp:			:dao[S	
	Race	Interval Run		Other:	.imi.		Mood:	
	Cross-Train	Long Hills	Treadmill					
Thursday	Training	Тетро Расе	Outdoor:	Temp:			:deels	
	Race	Interval Run		Other:	.imi	1 1	:PooM	
	Cross-Train	Long Hills	Treadmill					
Friday	Training	Tempo Pace	Outdoor:	Тетр:			Sleep:	
	Race	Interval Run		Other:	mi.	:	Mood:	
	Cross-Train	Long Hills	Treadmill					
Saturday	Training	Tempo Pace	Outdoor:	Temp:			Sleep:	
	Race	Interval Run		Other:	mi.		Mood:	
	Cross-Train	Long Hills	Treadmill					
Sunday	Training	Tempo Pace	Outdoor:	Temp:			:deeb:	
	Race	Interval Run		Other:	mi.	:	Mood:	
	Cross-Train	Long Hills	Treadmill					
				Week Total				
						+ previous Year to Date total	o Date total	
				<u>YTD</u> Total				




OPEN MON-FRI, 5PM-9PM AND SAT 9AM-12PM

Sports Medicine Urgent Care at Medical Center Jewish Northeast, featuring the best after-hours orthopedic care, will help you get back into the game safely and quickly. Walk-ins are welcome, no appointment is necessary, and there's plenty of convenient parking. Welcome to pro-care, on your schedule.

MEDICAL CENTER JEWISH NORTHEAST

2401 Terra Crossing Blvd. - Louisville, KY 40245 KentuckyOneHealth.org/Sports-Medicine-Care 844.603.8014



Sports Medicine Urgent Care